

Amendments to the Claims:

1. through 4. (Canceled)

5. (Currently Amended) A method of a wireless communication system for managing content of a remote device comprising:

receiving usage information from the remote device, the usage information indicating activity of the remote device during a predetermined time period;

determining a time period of call communication based on the usage information of the remote device; and

minimizing quantity of connections for communicating ~~communication of~~ event content to the remote device during at least one future time period corresponding to the time period of call communication.

6. (Previously Presented) The method of claim 5, wherein determining a time period of call communication based the usage information of the remote device comprises:

associating the time period of call communication with the at least one future time period; and

selecting a minimizing time for minimizing communication from within a time period preceding the at least one future time period.

7. (Original) The method of claim 6, wherein selecting a minimizing time for minimizing communication from within a time period preceding the at least one future time period includes selecting a time in advance of the at least one future time period by a set time period.

8. through 18. (Canceled)

19. (Currently Amended) A wireless communication system for managing content of a remote device comprising:

a transceiver configured to receive usage information from the remote device and communicate event content to the remote device, wherein the usage information indicates activity of the remote device during a predetermined time period; and

a processor, coupled to the transceiver, configured to determine a time period of call communication based on the usage activity of the remote device during the predetermined time period and minimize quantity of connections for communicating ~~communication~~ of the event content to the remote device during at least one future time period corresponding to the time period of call communication.

20. (Previously Presented) The wireless communication system of claim 19, wherein the processor associates the time period of call communication with the at least one future time period, and selects a minimizing time for minimizing communication from within a time period preceding the at least one future time period.

21. (Original) The wireless communication system of claim 20, wherein the processor selects a time in advance of the at least one future time period by a set time period.

22. through 24. (Canceled)

25. (Currently Amended) A method of a wireless communication device for managing content comprising:

monitoring usage information indicating activity of the wireless communication device during a predetermined time period;

determining a time period of call communication based on the usage information of the wireless communication device; and

requesting a remote source to minimize quantity of connections for communicating ~~communication~~ of event content during at least one future time period corresponding to the time period of call communication.

26. (Previously Presented) The method of claim 25, wherein determining a time period of call communication based the usage information of the wireless communication device comprises:

associating the time period of call communication with the at least one future time period; and

selecting a minimizing time for minimizing communication from within a time period preceding the at least one future time period.

27. (Original) The method of claim 26, wherein selecting a minimizing time for minimizing communication from within a time period preceding the at least one future time period includes selecting a time in advance of the at least one future time period by a set time period.

28. through 30. (Canceled)

31. (Currently Amended) A wireless communication device for managing content comprising:

a user interface;

a processor, coupled to the user interface, configured to monitor usage information indicating activity of the user interface during a predetermined time period and determine a time period of call communication based on the usage information of the wireless communication device; and

a transceiver, coupled to the processor, configured to request a remote source to minimize quantity of connections for communicating ~~communication of~~ event content during at least one future time period corresponding to the time period of call communication.

32. (Previously Presented) The wireless communication device of claim 31, wherein the processor associates the time period of call communication with the at least one future time period and selects a minimizing time for minimizing communication from within a time period preceding the at least one future time period.

33. (Original) The wireless communication device of claim 32, wherein the processor selects a time in advance of the at least one future time period by a set time period.

34. through 37. (Canceled)